Certificate of Registration

Certificate Number 3588

Placed on the Market under the Name of

Wood International Agency Ltd
Wood House
16 King Edward Road
Brentwood
Essex
CM14 4HL
United Kingdom

and produced in the manufacturing plant
Producing factory W1 (E001327): Details held on file
Producing factory W3 (E015833): Details held on file

This certificate attests that all provisions have been met concerning the BM TRADA requirements of the scheme:

Q-Mark Door Blank Manufacture

Date of Initial Certification: **02/08/2024**

Date of Last Issue: **20/11/2024**

Date of Expiry: **21/03/2026**

Jonathan Lessimore

Jon Lessimore (Divisional Director)
For and on behalf of Element

BM TRADA is a trading name of Warringtonfire Testing and Certification Limited, Chiltern House, Stocking Lane, High Wycombe, Buckinghamshire, HP14 4ND, UK
Registered Office: Warringtonfire Testing and Certification Limited, 3rd Floor, Davidson Building, 5 Southampton Street, London, WC2E 7HA, UK Reg No. 11371436.
This certificate remains the property of Warringtonfire Testing and Certification Limited. This certificate and all copies or reproductions of the certificate shall be returned to Warringtonfire Testing and Certification Limited or destroyed if requested. Further clarification regarding the scope of this certificate and verification of the certificate is available through BM TRADA or at the above address or at www.bmtrada.com

Scope of Certification

Scope Ref: W1-1

Potential Performance Characteristics

(The actual performance characteristics may vary from that stated in this matrix depending upon the doorset style, design, size, framing and components used in the fully finished doorset. Any values given below are an indication of what is possible based on initial testing)
NPD = No performance determined.
Fire resistance doorset test to BS476-22 or EN1634-1.
Acoustic performance doorset test to BS EN ISO 10140-2 or BS EN ISO 140-3.
Enhanced Security doorset test to PAS24 Annex B.
Thermal Cycling (Composite blanks) doorset test to BS8529 Annex B.
Enhanced Lifetime Performance doorset test and graded to BM Trada CDTM01.
Thermal performance doorset test to BSEN10077-1, BSEN10077-2 or BS EN 12567-1; or
Thermal conductivity test to ISO 8301:1991 and/or Thermal Resistance test BS EN 12667:2001.

Therman™ Range – Engineered Timber Door Blanks

Blank type	***Producing Factory***
Therman™ 44	W1
Therman™ 54	W1

Product Name	Intended Fire Resistance (Minutes)	Acoustic (dB)	Enhanced Security (PAS24)	Thermal Cycling	Enhanced Lifetime Performance	Thermal Resistance (m^2K/W) / Thermal Conductivity (W/mK)
Therman™ 44	**30**	NPD	NPD	NPD	NPD	**0.501 / 0.0878** **0.590 / 0.0744** **0.592 / 0.0745**
Therman™ 54	NPD	NPD	NPD	NPD	NPD	**0.696 / 0.0781** **0.719 / 0.0755** **0.727 / 0.0746**

Scope Ref: W1-2

Potential Performance Characteristics

(The actual performance characteristics may vary from that stated in this matrix depending upon the doorset style, design, size, framing and components used in the fully finished doorset. Any values given below are an indication of what is possible based on initial testing)
NPD = No performance determined.
Fire resistance doorset test to BS476-22 or EN1634-1.
Acoustic performance doorset test to BS EN ISO 10140-2 or BS EN ISO 140-3.
Enhanced Security doorset test to PAS24 Annex B.
Thermal Cycling (Composite blanks) doorset test to BS8529 Annex B.
Enhanced Lifetime Performance doorset test and graded to BM Trada CDTM01.
Thermal performance doorset test to BSEN10077-1, BSEN10077-2 or BS EN 12567-1; or
Thermal conductivity test to ISO 8301:1991 and/or Thermal Resistance test BS EN 12667:2001.

Therman™ Range – Engineered Timber Door Blanks

Blank type	***Producing Factory***
Triman™ 40	W1

Product Name	Intended Fire Resistance (Minutes)	Acoustic (dB)	Enhanced Security (PAS24)	Thermal Cycling	Enhanced Lifetime Performance	Thermal Resistance (m^2K/W) / Thermal Conductivity (W/mK)
Triman™ 40	NPD	NPD	NPD	NPD	NPD	**0.547 / 0.0736** **0.505 / 0.0801** **0.510 / 0.0791**

BM TRADA is a trading name of Warringtonfire Testing and Certification Limited, Chiltern House, Stocking Lane, High Wycombe, Buckinghamshire, HP14 4ND, UK
Registered Office: Warringtonfire Testing and Certification Limited, 3rd Floor, Davidson Building, 5 Southampton Street, London, WC2E 7HA, UK Reg No. 11371436.
This certificate remains the property of Warringtonfire Testing and Certification Limited. This certificate and all copies or reproductions of the certificate shall be returned to Warringtonfire Testing and Certification Limited or destroyed if requested. Further clarification regarding the scope of this certificate and verification of the certificate is available through BM TRADA or at the above address or at www.bmtrada.com

Scope Ref: W3-1

Potential Performance Characteristics

(The actual performance characteristics may vary from that stated in this matrix depending upon the doorset style, design, size, framing and components used in the fully finished doorset. Any values given below are an indication of what is possible based on initial testing)
NPD = No performance determined.
Fire resistance doorset test to BS476-22 or EN1634-1.
Acoustic performance doorset test to BS EN ISO 10140-2 or BS EN ISO 140-3.
Enhanced Security doorset test to PAS24 Annex B.
Thermal Cycling (Composite blanks) doorset test to BS8529 Annex B.
Enhanced Lifetime Performance doorset test and graded to BM Trada CDTM01.
Thermal performance doorset test to BSEN10077-1, BSEN10077-2 or BS EN 12567-1; or
Thermal conductivity test to ISO 8301:1991 and/or Thermal Resistance test BS EN 12667:2001.

Marksman™ Range – Particleboard Door Blanks

Blank type	***Producing Factory***
Marksman™ 44	W3
Marksman™ 54	W3

Product Name	**Intended Fire Resistance (Minutes)**	**Acoustic (dB)**	**Enhanced Security (PAS24)**	**Thermal Cycling**	**Enhanced Lifetime Performance**	**Thermal Resistance (m^2K/W) / Thermal Conductivity (W/mK)**
Marksman™ 44	**30**	NPD	NPD	NPD	NPD	NPD
Marksman™ 54	**30 & 60**	NPD	NPD	NPD	NPD	NPD

BM TRADA is a trading name of Warringtonfire Testing and Certification Limited, Chiltern House, Stocking Lane, High Wycombe, Buckinghamshire, HP14 4ND, UK
Registered Office: Warringtonfire Testing and Certification Limited, 3rd Floor, Davidson Building, 5 Southampton Street, London, WC2E 7HA, UK Reg No. 11371436.
This certificate remains the property of Warringtonfire Testing and Certification Limited. This certificate and all copies or reproductions of the certificate shall be returned to Warringtonfire Testing and Certification Limited or destroyed if requested. Further clarification regarding the scope of this certificate and verification of the certificate is available through BM TRADA or at the above address or at www.bmtrada.com